



MADE IN  
TÜRKİYE



**CUBIC**<sup>®</sup>  
PILE HOIST

INTELLIGENT SOLUTION FOR COMPLEX JOBS  
INTELLIGENT SOLUTION FOR COMPLEX JOBS



ADJUSTABLE  
SENSOR



BIDIRECTIONAL  
OPERATION



EASY  
TRANSPORT



DIFFERENT  
OPERATING MODES

**HL SERIES**  
Automatic Stacking Machines



**HD SERIES**  
Automatic Stacking Machines




**HS SERIES**  
Automatic Stacking Machines



## ***HL Series***

***two edge closed  
automatic stacking machine,  
keeps the working height constant  
at the desired level with the help  
of the adjustable sensor on the  
machine, allowing the operator to  
work more comfortably  
and efficiently.***



# HL SERIES

## Automatic Stacking Machines



### USAGE AREAS

- General Industry
- Metal Processing Industry
- Textile Sector
- Food Sector
- Pharmaceutical and Chemistry Industry
- Automotive and Spare Part Industry
- Serial Production Lines
- Filling Integration Systems
- Loading Ramps
- Manual Sorting, Sifting Plants
- Goods Receiving and Shipping Units
- Printing Facilities
- Crimping and Folding Machines
- In post-printing manual machines,
- Packaging After Conveyor Systems
- Cardboard Packaging Facilities
- Storage Lines

### ADVANTAGES

- ✓ Provides ultimate convenience in stacking as its two edges are closed.
- ✓ Thanks to its structure suitable for transportation, it can be easily transported with a pallet truck or forklift.
- ✓ Operator-specific working height thanks to adjustable sensor position
- ✓ Loading and unloading process with bi-directional operating mode.
- ✓ Automatic, semi-automatic and manual working options.
- ✓ Easy to use thanks to the optimized user panel.
- ✓ High-level security with security optimization in accordance with ISG regulation.




Technical Specifications		HS-120
Platform Depth	mm	1330
Platform Width	mm	840
Max Lift Height	mm	1020
Max Loading Capacity	Kg	1250
Machine Depth	mm	2150
Machine Width	mm	1120
Machine Height	mm	1550
Max Machine Height	mm	2570
Power Consumption	KVA	2,2
Operating Voltage	V/Hz	400/50-60

Options		HS-120
Operating Voltage (220V / 50-60Hz)		●
Tilt Control		●









## ***HD Series***

***automatic stacking machine,***

*keeps the the operating height of the operator  
in loading and unloading operations constant  
at the desired level with the help of an  
adjustable sensor located on the machine,  
it provides the operator with more  
convenient and  
efficient operation.*

# HD SERIES

## Automatic Stacking Machine

### USAGE AREAS

*Printing Facilities*

*Cardboard Packaging Facilities*

*General Industry*

*Metal Processing Industry*

*Textile Sector*

*Food Sector*

*Pharmaceutical and Chemical Industry*

*Automotive and Spare Parts Industry*

*Serial Production Lines*

*Filling Integration Services*

*Loading Ramps*

*Manual Sorting, Sifting Plants*

*Goods Receiving and Shipping Units*

*Crimping and Folding Machines*



*HS and HD combination; helps you organize your stacks more quickly and efficiently.*

### ADVANTAGES

- ✓ *Thanks to its structure suitable for transportation, it can be easily transported with a pallet truck or forklift.*
- ✓ *Operator-specific working height thanks to adjustable sensor position.*
- ✓ *Loading and unloading process with bi-directional operating mode.*
- ✓ *Automatic, semi-automatic and manual working options.*
- ✓ *Easy to use thanks to the optimized user panel.*
- ✓ *High-level security with security optimization in accordance with ISG regulation.*



Technical Specifications		HD-80	HD-120	HD-160
Platform Depth	mm	740	940	1340
Platform Width	mm	850	1250	1650
Max Lift Height	mm	1020	1020	1020
Max Loading Capacity	Kg	1250	1250	1750
Machine Depth	mm	1550	1750	2150
Machine Width	mm	1300	1700	2100
Machine Height	mm	1500	1500	1500
Max Machine Height	mm	2520	2520	2520
Power Consumption	KVA	2,2	2,2	2,2
Operating Voltage	V/Hz	400/50-60	400/50-60	400/50-60

Options	HD-80	HD-120	HD-160
Operating Voltage (220V / 50-60Hz)	●	●	●
Tilt Control	●	●	●



## ***HS Series***


### ***Automatic stacking machine,***

*keeps the working height constant at the desired level with the help of the adjustable sensor on the machine, as well as providing the operator with the opportunity to work more comfortably and efficiently, thanks to its positional referencing feature, it provides more rigid and faster results in loading and unloading operations.*



# HS SERIES

## Automatic Stacking Machine



### USAGE AREAS

- General Industry
- Textile Sector
- Food Sector
- Pharmaceutical and Chemical Industry
- Automotive and Spare Parts Industry
- Serial Production Lines
- Filling Integration Services
- Loading Ramps
- Manual Sorting, Sifting Plants
- Goods Receiving and Shipping Units
- Printing Facilities
- Crimping and Folding Machines
- Baskı sonrası manuel makinelerde
- Cardboard Packaging Facilities



HS and HD combination; helps you organize your stacks more quickly and efficiently.

### ADVANTAGES


- ✓ More rigid loading possible thanks to posed reference.
- ✓ Thanks to its structure suitable for transportation, it can be easily transported with a pallet truck or forklift.
- ✓ Operator-specific working height thanks to adjustable sensor position.
- ✓ Loading and unloading process with bi-directional operating mode.
- ✓ Automatic, semi-automatic and manual working options.
- ✓ Easy to use thanks to the optimized user panel.
- ✓ High-level security with security optimization in accordance with ISG regulation.



Technical Specifications		HS-80	HS-120	HS-160
Platform Depth	mm	680	880	1280
Platform Width	mm	850	1250	1650
Max Lift Height	mm	1020	1020	1020
Max Loading Capacity	Kg	1250	1250	1750
Machine Depth	mm	1550	1750	2150
Machine Width	mm	1300	1700	2100
Machine Height	mm	1500	1500	1500
Max Machine Height	mm	2520	2520	2520
Power Consumption	KVA	2,2	2,2	2,2
Operating Voltage	V/Hz	400/50-60	400/50-60	400/50-60

Options	HS-80	HS-120	HS-160
Operating Voltage (220V / 50-60Hz)	●	●	●
Tilt Control	●	●	●





**SIEMENS**

**rexroth**  
A Bosch Company

**SICK**

**FESTO**

**CUBIC**<sup>®</sup>  
PILE HOIST

**HIWIN**<sup>®</sup>

**SOLUTION PARTNERS**

**ABB**

**EAT•N**

**WINKEL**<sup>®</sup>



# CUBIC

## **BAF MAKİNE ENDÜSTRİ A.Ş.**

📍 Fevziçakmak Mah. Kobisan 3 San. Sıla Cad. 71/H-G  
42210 Karatay/Konya/TURKEY

☎ +90 332 606 08 08

✉ baf@bafendustri.com.tr

🌐 www.bafendustri.com.tr



CUBIC™ is a BAF brand.

